

When completing a Diagnostic Determination Note, it is required to enter a Diagnosis under the Diagnosis section. The system allows for an active existing diagnosis to be used/added to the DDN, or a new diagnosis can be created if there have been changes to the client's existing diagnosis.

Scenario 1

No change in existing client Diagnosis (Provisional/Current)

1. Diagnosis Section, click **Associate**
2. Click **Use Current**: It will populate the Primary Diagnosis and all the current diagnosis for the client
3. Complete the DDN, review for accuracy, then sign/finalize

The screenshot shows the 'Diagnosis' section of the SanWITS interface. The 'DSM-5 Diagnosis(es)/ICD-10 Code(s):' field is empty. The 'Effective Date:' field is also empty. The 'Associate' dropdown menu is open, showing the 'Use Current' option selected. Below the dropdown, the date '08/10/2020' and the text 'Opioid Use Disorder, Moderate, in early remission in a controlled environment on maintenance therapy' are highlighted in yellow. The 'Create New' button is visible at the bottom of the dropdown menu.

The screenshot shows the 'Diagnosis' section of the SanWITS interface after the 'Use Current' option has been selected. The 'DSM-5 Diagnosis(es)/ICD-10 Code(s):' field is populated with 'F11.21-Opioid Use Disorder, Moderate, in early remission in a controlled environment on maintenance therapy'. The 'Effective Date:' field is populated with '08/10/2020'. The 'Associate' dropdown menu is closed. The 'Primary Diagnosis:' field is populated with 'F11.21-Opioid Use Disorder, Moderate, in early remission in a controlled environment on maintenance therapy'. The 'Behavioral Diagnosis:' field is populated with 'F10.21-Alcohol use disorder, Moderate, In early remission (DSM 5)' and 'F11.21-Opioid Use Disorder, Moderate, in early remission in a controlled environment on maintenance therapy (DSM 5)'. The 'Medical Diagnosis:' field is populated with 'None'. The 'Psychosocial Diagnosis:' field is populated with 'None'.

Scenario 2

Existing client diagnosis in SanWITS is incorrect or additional diagnosis needs to be added or removed

1. Diagnosis Section, click **Associate**
2. Click **Create New** to modify the diagnosis

The screenshot shows the 'Diagnosis' section in SanWITS. It displays a list of diagnoses with fields for 'DSM-5 Diagnosis(es)/ICD-10 Code(s)', 'Effective Date', 'Primary Diagnosis', 'Secondary Diagnosis', 'Behavioral Diagnosis', 'Medical Diagnosis', and 'Psychosocial Diagnosis'. A 'Use Current:' dialog box is open, showing the current diagnosis details and a 'Create New' button highlighted with a red box.

3. It will open the Client Diagnosis screen. Enter the Diagnosis Determination Note date as the new Effective Date for the Diagnosis. To continue, click **Edit Diagnosis**

The screenshot shows the 'Client Diagnosis' screen. It displays a form with fields for 'Primary', 'Secondary', and 'Tertiary' diagnoses, 'Effective Date', 'Expiration Date', and 'Diagnosing Clinician'. The 'Effective Date' field is highlighted with a red box. Below the form is a table with columns for 'Code', 'Description', 'Comments', and 'Principal'.

	Code	Description	Comments	Principal
Behavioral Diagnosis	F11.21	Opioid Use Disorder, Moderate, in early remission in a controlled environment on maintenance therapy		Yes
	F10.21	Alcohol use disorder, Moderate, In early remission		No

4. The previous diagnosis will auto populate on the Client Diagnosis screen. **Review the diagnosis list for accuracy**. Delete OR Add diagnosis as needed.

- ❖ To add a new diagnosis, under Type, select **Behavioral**. Under Diagnosis, select the new DSM 5 diagnosis. Click **Save** to add the diagnosis.

NOTE:

In SanWITS only one principal diagnosis is allowed at a time. Creating a new principal diagnosis when a principal diagnosis already exists for the client, user must select “No” under Principal Diagnosis field. After the diagnosis has been created and shows on the Behavioral Diagnosis list as seen below, user will need to hover over the pencil icon of the new diagnosis and click **Mark as Principal**. This will automatically change the previous diagnosis to No for Principal.

- ❖ To delete a diagnosis, hover over the pencil icon of the selected diagnosis, Click **Delete**

Actions	Code	Description	Comments	Principal
	F11.21	Opioid Use Disorder, Moderate, in early remission in a controlled environment on maintenance therapy		Yes
	F10.21	Alcohol use disorder, Moderate, In early remission		No

5. Click **Finish** to complete the diagnosis changes.
6. Click **Save** then **Finish** to return to the DDN form

Copyright:
*Reprinted with permission from the Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition®. Copyright ©2013 American Psychiatric Association. All Rights Reserved. Unless authorized in writing by the APA, no part may be reproduced or used in a manner inconsistent with the APA's copyright. This prohibition applies to unauthorized uses or reproductions in any form.
The American Psychiatric Association is not affiliated with and is not endorsing this product.

Trademark:
*DSM and DSM-5 are registered trademarks of the American Psychiatric Association, and are used with permission herein. Use of these terms is prohibited without permission of the American Psychiatric Association.
Use of this trademark does not constitute endorsement of this product by the American Psychiatric Association.

7. Return to the Diagnosis section of the DDN

8. Click **Associate**, then click **Use Current** to populate the updated client Diagnosis

The screenshot shows the 'Diagnosis' form in SanWITS. The 'DSM-5 Diagnosis(es)/ICD-10 Code(s):' field is populated with 'F11.21-Opioid Use Disorder, Moderate, in early remission in a controlled environment on maintenance therapy'. The 'Effective Date:' is '08/10/2020'. The 'Associate' dropdown menu is open, showing 'Use Current:' with the date '04/01/2021' and the text 'Cannabis use disorder, Mild, In early remission'. The 'Create New' option is also visible. Other diagnosis categories like Behavioral, Medical, and Psychosocial are listed as 'None'.

9. The new client diagnosis will populate the DDN

The screenshot shows the 'Diagnosis' form after the update. The 'Effective Date:' is now '04/01/2021'. The 'Primary Diagnosis:' is 'F12.11-Cannabis use disorder, Mild, In early remission'. The 'Behavioral Diagnosis:' is 'F11.21-Opioid Use Disorder, Moderate, in early remission in a controlled environment on maintenance therapy (DSM 5)' and 'F12.11-Cannabis use disorder, Mild, In early remission (DSM 5)'. The 'Associate' dropdown is still present.

10. Complete the DDN, review for accuracy, then sign/finalize